

Stream Chemistry and Nutrient Cycling (with focus on N and P)

- Adams, P., and J. Ringer. 1994. The effects of timber harvesting and forest roads on water quantity and quality in the Pacific Northwest: Summary and annotated bibliography. Pages 147. The Oregon Forest Resources Institute, Corvallis, OR.
- Adamson, J.K. and M. Hornung. 1990. The effects of clearfelling a Sitka spruce (*Picea sitchensis*) plantation on solute concentrations in drainage water. *Journal of Hydrology*. 116(1/4): 287-297.
- Agemian, H. 1997. Determination of nutrients in aquatic sediments. Chapter 7, pgs.175-227. In A. Mudroch, J.M. Azcue and P. Mudroch (ed), *Manual of Physio-Chemical Analysis of Aquatic Sediments*. Lewis Publishers, Boca Raton, FL.
- Bakke, P., and M. Pyles. 1997. Predictive model for nitrate load in the Bull Run watershed, Oregon. *Journal of the American Water Resources Association* 33: 897-906.
- Band, L., C. Tague, P. Groffman, and K. Belt. 2001. Forest ecosystem processes at the watershed scale: hydrological and ecological controls of nitrogen export. *Hydro Proc* 15: 2013-2028.
- Beaulac, M.N. and K.H. Reckhow. 1982. An examination of land use - nutrient export relationships. *Water Resources Bulletin* 18(6): 1013-1023.
- Bencala, K.E. 1984. Interactions of solutes and streambed sediment. 2. A dynamic analysis of coupled hydrologic and chemical processes that determine solute transport. *Water Resources Research*. 20(12): 1804-1814.
- Berry, T., and T. Webb. 1993. Forestry-drinking water quality interactions: Final workshop report. Pages 105. BC Ministry of Environment, Lands and Parks and Ministry of Forests, Vancouver, BC.
- Bigger, M. and D. Cole. 1983. Effects of harvesting intensity on nutrient losses and future productivity in high and low productivity red alder and Douglas-fir stands. In Ballard, R. and S.P. Gessel (eds) *IUFRO Symposium on Forest Site and Continuous Production*. USDA Forest Service Gen. Tech. Rep. PNW-133. Portland, OR. 167-178.
- Bilby, R.E. 1981. Role of organic debris dams in regulating the export of dissolved and particulate matter from a forested watershed. *Ecology*. 62(5): 1234-1243.
- Bilby, R.E. and P.A. Bisson. 1992. Allochthonous versus autochthonous organic matter contributions to the trophic support of fish population in clear-cut and old-growth forested streams. *Canadian Journal of Fisheries and Aquatic Sciences*. 49(3): 540-551.
- Binkley, D. J.P. Kimmins and M.C. Feller. 1982. Water chemistry profiles in an early and mid successional forest in coastal British Columbia. *Canadian Journal of Forest Research*. 2: 240-248.
- Blackburn, W.H. and J.C. Wood. 1990. Nutrient export in stormflow following forest harvesting and site preparation in East Texas. *Journal of Environmental Quality* 19: 402-408.
- Bormann, F.H., G.E. Likens, D.W. Fisher and R.S. Pierce. 1968. Nutrient loss accelerated by clearcutting of a forested ecosystem. *Bioscience* 18: 600-610.
- Bormann, F.H., G.E. Likens, T.G. Siccama, R.S. Pierce and J.S. Weston. 1974. The export of nutrients and recovery of stable conditions following deforestation at Hubbard Brook. *Ecol. Mono.* 44(3): 255-277.
- Briggs, R.D., J.W. Hornbeck, C.T. Smith, R.C. Lemm and M.L. McCormack. 2000. Long-term effects of forest management on nutrient cycling in spruce-fir forests *Forest Ecology and Management* 138 (1-3): 285-299.



- Brooks, P., and M. Williams. 1999. Snowpack controls on nitrogen cycling and export in seasonally snow-covered catchments. *Hydrological Processes*. 13: 2177-2190.
- Brown, G.W., A.R. Gahker and R.B. Marston. 1973. Nutrient losses after Clear-cut logging and slash burning in the Oregon Coast Range. *Water Resources Research*. 9(5): 1450-1453.
- Cameron, E. 1996. Hydrogeochemistry of the Fraser River, British Columbia: seasonal variation in major and minor components. *Journal of Hydrology* 182: 209-225.
- Chorover, J., P. Vitousek, D. Everson, A. Esperanza, and D. Turner. 1994. Solution chemistry profiles of mixed-conifer forests before and after fire. *Biogeochemistry* 26: 115-144.
- Christie, T., and W. Fletcher. 1999. Contamination from forestry activities: implications for stream sediment exploration programmes. *Journal of Geochemical Exploration* 67: 201-210.
- Church, M. 1997. Hydrochemistry of forested catchments. *Annual Review of Earth and Planetary Sciences* 25: 23-59.
- Clayton, J.L. and D.A. Kennedy. 1985. Nutrient losses from timber harvest in the Idaho Batholith. *Soil Science Society of America Journal* 49: 1041-1049.
- Dahlgren, R. 1998. Effects of forest harvest on biogeochemical processes in the Caspar Creek watershed. Pages 156. California Department of Forestry and Fire Protection, Davis, CA.
- Dahlgren, R. 1998. Effects of forest harvest on stream-water quality and nitrogen cycling in the Caspar Creek watershed. Pages 45-53 in R. Ziemer, ed. *Conference on Coastal Watersheds: The Caspar Creek Story*. USDA Forest Service, Pacific Southwest Research Station, Ukiah, CA.
- D'Arcy, P. and R. Carignan. 1997. Influence of catchment topography on water chemistry in southeastern Québec Shield lakes: *Can. J. Fish. Aquat. Sci.* 54: 2215 – 2227.
- Dissmeyer, G., ed. 2000. *Drinking Water from Forests and Grasslands: a synthesis of the scientific literature*. USDA Forest Service, Asheville, North Carolina.
- Driscoll, C., N. Johnson, G. Likens, and M. Feller. 1988. Effects of acidic deposition on the chemistry of headwater streams: A comparison between Hubbard Brook, New Hampshire, and Jamieson Creek, British Columbia. *Water Resources Research* 24: 195-200.
- Edmonds, R., and R. Blew. 1997. Trends in precipitation and stream chemistry in a pristine old-growth forest watershed, Olympic National Park, Washington. *Journal of the American Water Resources Association* 33: 781-793.
- Edmonds, R.L., T.B. Thomas and R.D. Blew. 1995. Biogeochemistry of an old-growth forested watershed Olympic National Park, Washington. *Water Resources Bulletin*. 31(3): 409-419.
- Edwards, P.J., J.N. Kochenderfer and D.W. Seegrist. 1991. Effects of forest fertilization on stream water chemistry in the Appalachians. *Water Resources Bulletin* 27: 265-274.
- Elliot, W. 2000. Roads and Other Corridors (Ch. 9). Pages 85-101 in G. Dissmeyer, ed. *Drinking Water from Forests and Grasslands: A Synthesis of the Scientific Literature*. USDA Forest Service, Southern Research Station, Asheville, NC.
- Feller, M.C. 1977. Nutrient movement through western hemlock-western red cedar ecosystems in Southwestern British Columbia. *Ecology*. 58(6): 1269-1283.
- Feller, M.C. 1989. Effects of Forest Herbicide Applications on Streamwater Chemistry In Southwestern British Columbia. *Water Resources Bulletin*. 25(3): 607-616.
- Feller, M.C. and J.P. Kimmins. 1979. Chemical characteristics of small streams near Haney in Southwestern British Columbia. *Water Resources Research* 15(2): 247-257.



- Feller, M.C. and J.P. Kimmins. 1984. Effects of clearcutting and slash burning on stream water chemistry and watershed nutrient budgets in southwestern British Columbia. *Water Resources Research*. 20(1): 29-40.
- Fredriksen, R.L. 1971. Comparative chemical water quality - natural and disturbed streams following logging and slash burning. pgs 125-137. In J.T. Krygier and J.D. Hall (eds) *Proceedings of a Symposium, Forest Land Uses and Steam Environment*, Oct. 19-21, 1970, Oregon State University. Corvallis, OR.
- Gluns, D., and D. Toews. 1989. Effect of a major wildfire on water quality in southeastern British Columbia. Pages 487-499 in W. Woessner and D. Potts, eds. *Headwaters Hydrology*. American Water Resources Association, Missoula, Montana.
- Gluns, D., and K. Green. 1994. Water quality monitoring of a small spring following forest harvesting. Pages 18. BC Ministry of Forests, Nelson Forest Region, Nelson, BC.
- Grier, C.C. 1975. Wildfire effects on nutrient distribution and leaching in a coniferous ecosystem. *Can. J. For. Res.* 5: 599-607.
- Hart, G.E. and N.V. Debyle. 1975. Effects of Lodgepole Pine Logging and Residue Disposal on Subsurface Water Chemistry. *Watershed Management Symposium* Held by the ASCA Irrigation And Drainage Division, Logan, Utah, Aug. 11-13, 1975.
- Hauer, F., and C. Spencer. 1998. Phosphorous and nitrogen dynamics in streams associated with wildfire: A study of immediate and long term effects. *International Journal of Wildland Fire* 8: 183-198.
- Hetherington, E.D. 1984. Streamflow nitrogen loss following forest fertilization in a southern Vancouver Island watershed. *Canadian Journal of Forest Research* 15: 34-41.
- Hewlett, J.D., H.E. Post and R. Doss. 1984. Effect of clearcut silviculture on dissolved ion export and water yield in the piedmont. *Water Resources Research* 20(7): 1030-1038
- Hudson, R., and J. Fraser. 2001. Roberts Creek Study Forest: Pre-harvest chemical characteristics of three S6 creeks, Flume Creek Experimental Watershed. Pages 17. BC Ministry of Forests, Vancouver Forest Region, Nanaimo, BC.
- Hudson, R.O. 1995. *The Response of Water Chemistry to Hydrological Conditions and Flow Paths Under Different Forest Cover Types in Small Subalpine Catchments*. Ph.D. Thesis, Faculty of Forestry, University of British Columbia. Vancouver, B.C.
- Hudson, R.O. and D.L. Golding. 1997. Chemical characteristics of disturbed and undisturbed subalpine catchments in the southern interior of British Columbia. *Canadian Water Resources Journal* 22(3): 269-298.
- Hudson, R.O. and D.L. Golding. 1997. Controls on groundwater chemistry in subalpine catchments in the Southern Interior of British Columbia. *Journal of Hydrology* 201:1-20.
- Hudson, R.O. and M. Quick. 1997. A component based water chemistry simulator for small subalpine watersheds. *Canadian Water Resources Journal* 22(3): 299-326.
- Idaho Department of Lands. 2000. Forest practices cumulative watershed effects process for Idaho. Pages 82. Idaho Department of Lands, Boise, ID.
- Jenkins, A., B.J. Cosby, R.C. Ferrier, T.A.B. Walker and J.D. Miller. 1990. Modeling stream acidification in afforested catchments: an assessment of the relative effects of acid deposition and afforestation. *Journal of Hydrology*. 120(1/4): 163-181.



- Jewett, K., D. Daugharty, H.H. Krause and P.A. Arp. 1995. Watershed response to clearcutting: effects on soil solutions and stream discharge in Central New Brunswick. *Can. J. Soil Sci.* 75: 475-490.
- Johnson, D.W. and P.S. Curtis. 2001. Effects of forest management on soil C and N storage: meta analysis *Forest Ecology and Management* 140(2-3): 227-238.
- Kimmins, J.P. and M.C. Feller. 1976. Effect of Clearcutting and Broadcast Slashburning on Nutrient Budgets, Stream Water Chemistry and Productivity In Western Canada. *Proceedings 16th IUFRO World Congress, Division I* 186-197.
- Klock, G.O. 1971. *Streamflow Nitrogen Loss Following Forest Erosion Control Fertilization*. USDA For. Serv. Res. Note PNW-169, Pacific Northwest Forest and Experimental Station, Portland, Oregon. 9 pp.
- Knight, D., J. Yavitt, and G. Joyce. 1991. Water and nitrogen outflow from lodgepole pine forest after two levels of tree mortality. *Forest Ecology and Management* 46: 215-225.
- Knight, D., T. Fahey, and S. Running. 1985. Water and nutrient outflow from contrasting lodgepole pine forests in Wyoming. *Ecological Monographs* 55: 29-48.
- Krause, H.H. 1974. *Effect of Forest Management Practices on Stream Water Chemistry and Nutrient Load in Hilly Terrain of Central New Brunswick*. Progress Report April 1974, Univ. New Brunswick Fac. For. Fredericton, NB.
- Krause, H.H. 1981. *Nitrate Formation and Movement Before and After Clearcutting in a Monitored Watershed In Central New Brunswick, Canada*. XVII IUFRO World Congress, joint Session of Working Groups S1.02-07, S1.03-02, Kyoto, Japan, Sept 6-17, 1981.
- Krause, H.H. 1982b. Nitrate formation and movement before and after clearcutting of a monitored watershed in central New Brunswick, Canada. *Canadian Journal of Forest Research* 12: 922-930.
- Lamontagne, S., R. Carignan, P. D'Arcy, Y.T. Prairie and D. Paré. 2000. Element export in runoff from eastern Canadian Boreal Shield drainage basins following forest harvesting and wildfires. *Can. J. Fish. Aquat. Sci.* 57(2): 118-128.
- Landsberg, J., and A. Tiedmann. 2000. Fire Management (Ch. 12). Pages 124-138 in G. Dissmeyer, ed. *Drinking Water from Forests and Grasslands: A Synthesis of the Scientific Literature*. USDA Forest Service, Southern Research Station, Asheville, NC.
- Lawson, E.R. and L.H. Hileman. 1983. Nutrient Distributions In Runoff From Ouachita Mountain Watersheds. USDA Forest Service. Southeastern Forest Experiment Station. General Technical Report SE-24461-467.
- Leland, H. 1995. Distribution of phytobenthos in the Yakima River basin, Washington, in relation to geology, land-use, and other environmental factors. *Canadian Journal of Fisheries and Aquatic Sciences* 52: 1108-1129.
- Lewis, Jr., W.M. and M.C. Grant. 1979. Relationships between stream discharge and yield of dissolved substances from a Colorado Mountain watershed. *Soil Science* 128(6): 353-363.
- Lewis, Jr., W.M. and M.C. Grant. 1980. Relationships between snow cover and winter losses of dissolved substances from a mountain watershed. *Arctic and Alpine Research* 12(1): 11-17.
- Likens, G.E. and F.H. Bormann. 1995. *Biogeochemistry of a Forested Ecosystem*. 2nd. edition Springer-Verlag, NY, NY.



- Likens, G.E., F.H. Bormann, N.M. Johnson, D.W. Fisher and R.S. Pierce. 1970. Effects of forest cutting and herbicide treatment on nutrient budgets in the Hubbard Brook Watershed Ecosystem. *Ecological Monographs* 40(1): 23-47.
- Lucas, B. 1998. Water quality inventory of the Nitnat River and San Juan River Watersheds, Vancouver Island, British Columbia, 1997. Pages 106. BC Ministry of Environment, Lands and Parks, Victoria, BC.
- Mann, L.K., D.W. Johnson, D.C. West, D.W. Cole, J.W. Hornbeck, C.W. Martin, H. Riekerk, C.T. Smith, W.T. Swank, L.M. Tritton and D.H. Van Lear. 1988. Effects of whole-tree and stem-only clearcutting on postharvest hydrologic losses, nutrient capital, and regrowth. *Forest Science*. 34(2): 412-428.
- Martin, C.W. 1979. Precipitation and streamwater chemistry in an undisturbed forested watershed in New Hampshire. *Ecology*. 60(1): 36-42.
- Martin, C.W. and R.D. Harr. 1989. Logging of mature Douglas-fir in western Oregon has little effect on nutrient output budgets. *Canadian Journal of Forest Research*. 19: 35-43.
- Martin, C.W. and R.S. Pierce. 1980. Clearcutting patterns affect nitrate and calcium in streams of New Hampshire. *Journal of Forestry* 78(5): 268-272.
- Martin, C.W., D.S. Noel and C.A. Federer. 1984. Effects of forest clearcutting in New England on stream chemistry. *Journal of Environmental Quality* 13: 204-210.
- Martin, C.W., D.S. Noel and C.A. Federer. 1985. Clearcutting and the biogeochemistry of streamwater in New England. *Journal of Forestry* 83(11): 686-689.
- Martin, C.W., J.W. Hornbeck, G.E. Likens and D.C. Buso. 2000. Impact of intensive harvesting on hydrologic and nutrient dynamics of northern hardwood forests. *Can J Fish Aquat Sci*. 57(2): 19-29.
- Martin, C.W., R.S. Pierce, G.E. Likens and F.H. Bormann. 1986. *Clearcutting Affects Stream Chemistry In The White Mountains of New Hampshire*. USDA For. Serv. Res. Pap. NE-579, Northeastern Forest Experiment Station.
- McClain, M., R. Bilby, and F. Triska. 1998. Nutrient cycles and response to disturbance. Pages 347-372 in R. Naiman and R. Bilby, eds. *River ecology and management: Lessons from the Pacific coastal ecoregion*. Springer-Verlag, New York.
- McCull, J.G. and D.F. Grigel. 1979. Nutrient losses in leaching and erosion by intensive forest harvesting. Paper presented at the *Symposium on Impact of Intensive Harvesting on Forest Nutrient Cycling*. College of Enviro. Sci. and Forestry, State Univ. of New York. Syracuse.
- Mcdonnell, J., and T. Tanaka. 2001. On the future of forest hydrology and biogeochemistry. *Hydrol Proc* 15: 2053-2055.
- Michael, J.L., W.P. Fowler, H.L. Gibbs and J.B. Fischer. 1994. Water Chemistry of Ephemeral Streams. In *Proceedings of the Symposium on Ecosystem Management In The Ouachita Mountains: Pretreatment Conditions and Preliminary Findings*, Hot Springs, AR, Oct. 26-27, 1993. 1994. USDA Forest Service. Southern Forest Experiment Station. General Technical Report No. SO-112. New Orleans, Louisiana.
- Miller, J.H. and M. Newton. 1983. Nutrient losses from disturbed forest watersheds in Oregon's Coast range. *Agro-Ecosystems* 8: 153-167.
- Minshall, G., C. Robinson, and D. Lawrence. 1997. Postfire responses of lotic ecosystems in Yellowstone National Park, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 54: 2509-2525.



- Minshall, G., J. Brock, D. Andrews, and C. Robinson. 2001. Water quality, substratum and biotic responses of five central Idaho (USA) streams during the first year following the Mortar Creek fire. *International Journal of Wildland Fire* 10: 185-199.
- Mitchell, M. 2001. Linkages of nitrate losses in watersheds to hydrological processes. *Hydrological Processes* 15: 3305-3307.
- Murray, G.L.D., R.L. Edmonds and J.L. Marra. 2000. Influence of partial harvesting on stream temperatures, chemistry, and turbidity in forests on the western Olympic Peninsula, Washington. *Northwest-Science*. 74 (2): 151-164.
- Naiman, J. 1982. *Characteristics of Sediment and Organic Carbon Export from Pristine Boreal Forest Watersheds. The Matamek Research Program: Annual Report For 1981*. Technical Report No. Whoi-83-29. Woods Hole Oceanographic Institute, Massachusetts, USA.
- Naiman, R., and H. Descamps. 1997. The ecology of interfaces: Riparian zones. *Annual Review of Ecology and Systematics* 28: 621-658.
- NCASI. 2001. Patterns and processes of variation in nitrogen and phosphorous concentrations in forested streams. Pages ~150. NCASI, Research Triangle Park, NC.
- Neary, D.G. 1976. Impact of timber harvesting on nutrient losses in stream flow. *New Zealand Journal of Forestry* 21(1): 53-63.
- Neary, D.G. and J.H. Leonard. 1978. Effects of forest fertilization on nutrient losses in streamflow in New Zealand. *New Zealand Journal of Forest Science* 8(1): 189-205.
- Nicholson, J.A., N.W. Foster and I.K. Morrison. 1982. Forest harvesting effects on water quality and nutrient status in the boreal forest. In *Hydrological Processes of Forested Areas. Proc. of Canadian Hydrology Symposium, June 14-15, 1982, Fredricton, New Brunswick*. 71-89.
- Nisbet, T.R. 1995. *Effect of Aerial Applications of Urea Fertilizer on Stream Water Quality*.
- Nordin, R. 1996. *Watershed Ion Export and Lake Water Chemistry Changes in a British Columbia Lake After Watershed Logging – Draft*. Unpublished Res. Report. B.C. Ministry of Environment, Lands and Parks.
- Norris, L., H. Lorz, and S. Gergory. 1991. Forest Chemicals. Pages 207-296 in W. Meehan, ed. *Influences of Forest and Rangeland Management on Salmonid Fishes*. American Fisheries Society, Baltimore, MD.
- Perrin, C.J. 1990. *Changes in Inorganic Nitrogen Concentrations in Rosewall Creek and the Upper Qualicum River After Forest Fertilization With Urea*. Report prepared by Limnoteck Research and Development Inc. for Ministry of Forests. Pt. Alberni Forest District.
- Pierce, R.S, C.W. Martin, C.C. Reeves, G.E. Likens, and F.H. Bormann. 1972. Nutrient loss from clearcutting in New Hampshire. 285-295 in *National Symp. on Watersheds in Transition*. Amer. Water Resources Ass. Proc Series.
- Reinhart, K.G. 1973. *Timber-Harvest Clearcutting and Nutrients In The Northeastern United States*. USDA For. Serv. Res. Note NE-170, Northeastern Forest Experiment Station, Upper Darby, Penn.
- Richter, D., C.W. Ralston and W.R. Harms. 1982. Prescribed fire: effects on water quality and forest nutrient cycling. *Science* 215: 661-663.
- Schiff, S.L., R. Aravena, S.E. Trumbore and P.J. Dillon. 1990. Dissolved organic carbon cycling in forested watersheds: a carbon isotope approach. *Water Resources Research*. 26(12): 2949-2957.



- Scrivener, J.C. 1988. Changes in concentration of dissolved ions during 16 years at Carnation Creek, British Columbia. In T.W. Chamberlin. (ed). *Proceedings of the Workshop: Applying 15 Years of Carnation Creek Results*. Carnation Creek Steering Committee, Pacific Biological Station, Nanaimo, British Columbia. 75-80.
- Sollins, P. and F.M. McCorison. 1981. Nitrogen and carbon solution chemistry of an old growth coniferous forest watershed before and after cutting. *Water Resources Research* 17: 1409-1418.
- Sollins, P., C.C. Grier, F.M. McCorison, K. Cromack Jr., R. Fogel and R.L. Fredriksen. 1980. The Internal Element Cycles of an Old-Growth Douglas-Fir Ecosystem In Western Oregon. *Ecological Monographs*. 50(3): 261-285.
- Spencer, C., and F. Hauer. 1991. Phosphorous and nitrogen dynamics in streams during a wildfire. *Journal of the North American Benthological Society* 10: 24-30.
- Stark, N.M. 1979. *Nutrient Losses from Timber Harvesting In a Larch Douglas-Fir Forest*. USDA Forest Service, Intermountain Station. Res. Pap. INT-231. Odgen, Utah.
- Stednick, J.D., L.N. Tripp and R.J. McDonald. 1982. Slash burning effects on soil and water chemistry in Southeastern Alaska. *Journal of Soil and Water Conservation*. 37(2): 126-128.
- Stottlemeyer, J.R and D. Toczydlowski. 1996. Precipitation, snowpack, stream-water ion chemistry, and flux in a northern Michigan watershed. 1982-1991. *Can. J. Fish. Aquat. Sci.* 53(12): 2659-2672.
- Stottlemeyer, R. and C. Troendle. 1987. *Trends In Streamwater Chemistry and Input-Output Balances*. Fraser Experimental Forest, Colorado. USDA Forest Service. Rocky Mountain Forest and Range Experiment Station. Research Paper No. RM-275. Fort Collins, CO.
- Stottlemeyer, R. and C. Troendle. 1999. Effect of subalpine canopy removal on snowpack, soil solution, and nutrient export, Fraser Experimental Forest, Co. *Hydrological Processes*. 13: 2287-2299.
- Stottlemeyer, R. and C.A. Troendle. 1992. Nutrient concentration patterns in streams draining alpine and subalpine catchments. Fraser Experimental Forest, Colorado. *Journal of Hydrology*. 140(1/4): 179-208. .
- Stottlemeyer, R., and C. Troendle. 2001. Effect of canopy removal on snowpack quantity and quality, Fraser experimental forest, Colorado. *JH* 245: 165-176.
- Swank, W. 2000. Forest Succession (Ch. 11). Pages 120-123 in G. Dissmeyer, ed. *Drinking Water from Forests and Grasslands: A Synthesis of the Scientific Literature*. USDA Forest Service, Southern Research Station, Asheville, NC.
- Swank, W.T. 1988. Stream chemistry responses to disturbance. in W.T. Swank and D.A. Crossley (eds) *Forest Hydrology and Ecology at Coweeta* Vol 66 Springer Verlag. New York, N.Y. 339-358.
- Tiedemann, A.R., J.D. Helvey and T.D. Anderson. 1978. Stream chemistry and watershed nutrient economy following wildfire and fertilization in Eastern Washington. *Journal of Environmental Quality* 7(4): 580-588.
- Tiedemann, A.R., T.M. Quigley and T.D. Anderson. 1988. Effects of timber harvest on stream chemistry and dissolved nutrient losses in Northeastern Oregon. *Forest Science*. 34(2): 344-358.



- Troendle, C.A. 1987. The effect of clearcutting on chemical exports in lateral flow from differing soil depths on a subalpine forested slope. *International Association of Hydrological Sciences Symposium, Proceedings of the Vancouver Symposium*. August 9-22, 1987. IAHS Pub. 167. 423-431.
- Van Lear, D.H., J.E. Douglass, S.K. Cox and M.K. Augspurger. 1985. Sediment and nutrient export in runoff from burned and harvested pine watersheds in the South Carolina piedmont. *Journal of Environmental Quality*. 14(2): 169-173.
- Van Miegroet, H., P.S. Homann and D.W. Cole. 1992. Soil nitrogen dynamics following harvesting and conversion of red alder and Douglas-fir stands. *Soil Science Society of America Journal* 56(4): 1311-1318.
- Vitousek, P.M. and J.M. Melillo. 1979. Nitrate losses from disturbed forests: patterns and mechanisms. *Forest Science*. 25(4): 605-619.
- Welch, E., J. Jacoby, and C. May. 1998. Stream Quality. Pages 69-94 in R. Naiman and R. Bilby, eds. *River ecology and management: Lessons from the Pacific coastal ecoregion*. Springer-Verlag, New York.
- Whitfield, P.H., N. Rousseau and E. Michnowsky. 1993. Rainfall induced changes in chemistry of a British Columbia coastal stream. *Northwest Science* 67(1): 1-6.
- Wigington, P., M. Church, T. Strickland, K. Eshleman, and J. VanSickle. 1998. Autumn chemistry of Oregon Coast Range streams. *Journal of the American Water Resources Association* 34: 1035-1049.
- Zeman, L. 1975. Hydrochemical balance of a British Columbia mountainous watershed. *Catena* 2: 81-94.

