

Stream Temperature and Buffer Strips

- Adams, P., and J. Ringer. 1994. The effects of timber harvesting and forest roads on water quantity and quality in the Pacific Northwest: Summary and annotated bibliography. Pages 147. The Oregon Forest Resources Institute, Corvallis, OR.
- Allen, M., and L. Dent. 2001. Shade conditions over forested streams in the Blue Mountain and Coast Range Georegions of Oregon. Pages 101. Oregon Department of Forestry, Portland, OR.
- Amaranthus, M., H. Jubas and D. Arthur. 1989. Stream shading, summer streamflow and maximum water temperature following intense wildfire in headwater streams. In Berg, N.H. (Tech. Co-ord.) *Proceedings of the Symposium on Fire and Watershed Management, 1988*. USDA Forest Service. Pacific Southwest Forest and Range Management Station. General Technical Report PSW-109. Berkeley, California.
- Anderson, H.W. 1973. *Effects of Clearcutting on Stream Temperature: A Literature Review*. DNR Rep. No .29. Washington Department of Natural resources. Olympia, WA.
- Beechie, T., and S. Bolton. 1999. An approach to restoring salmonid habitat-forming processes in Pacific Northwest watersheds. *Fisheries* 24: 6-15.
- Belt, G.H. and J. O'Laughlin. 1994. Buffer strip design for protecting water quality and fish habitat. *Western Journal of Applied Forestry*. 9(2): 41-45.
- Belt, G.H., J. O'Laughlin and T. Merrill. 1992. *Design of Forest Riparian Buffer Strips for the Protection of Water Quality: Analysis of Scientific Literature*. Idaho Forest, Wildlife and Range Policy Analysis Group. Report No. 8. College of Forestry, Wildlife and Range Sciences. University of Idaho.
- Beschta, R.L. 1997. Riparian shade and stream temperature: an alternative perspective. *Rangelands* 19(2): 25-28.
- Beschta, R.L. and R.L. Taylor. 1988. Stream temperature increases and land use in a forested Oregon watershed. *Water Resources Bulletin*. 24:19-25.
- Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. pgs 191-231. In E.O. Salo & T.W. Cundy (eds) *Streamside Management: Forestry and Fisheries Interactions*. Contribution No. 57, Institute Of Forest Resources, University of Washington, Seattle.
- Bettinger, P., J. Sessions, and K. Johnson. 1998. Ensuring the compatibility of aquatic habitat and commodity production goals in eastern Oregon with a Tabu search procedure. *Forest Science* 44: 96-112.
- Bettinger, P., K. Johnson, and J. Sessions. 1996. Forest planning in Oregon case study: Defining the problem and attempting to meet goals with a spatial analysis technique. *Environmental Management* 20: 565-577.
- Bettinger, P., K. Johnson, and J. Sessions. 1998. Improving aquatic habitat conditions over time while producing wood products: An examination of options. *Journal of the American Water Resources Association* 34: 891-907.
- Boyd, M., and D. Sturdevant. 1997. The scientific basis for Oregon's stream temperature standard: Common questions and straight answers. Pages 32. Oregon Department of Environmental Quality, Portland.
- Brazier, J.R. 1973. *Buffer Strips for Stream Temperature Control*.



- Bren, L.J. 1995. Aspects of the Geometry of Riparian Buffer Strips and Its Significance to Forestry Operations. *Forest Ecology and Management*. 75: 1-10.
- Brofoske, K., J. Chen, R. Naiman, and J. Franklin. 1997. Harvesting effects on microclimatic gradients from small streams to uplands in western Washington. *Ecological Applications* 7: 1188-1200.
- Brown, G.W. 1970. Predicting the effects of clearcutting on stream temperature. *Journal of Soil Science and Conservation*. 25: 11-13.
- Brown, G.W. 1971. Water temperature in small streams as influenced by environmental factors and logging. pgs. 175-181 in *Proceedings of a Symposium: Forest Land Uses and Stream Environment*. 1970.
- Brown, G.W. and J.T. Krygier. 1967. Changing water temperature in small mountain streams. *Journal of Soil and Water Conservation*. 22(60): 242-244.
- Brown, G.W. and J.T. Krygier. 1970. Effects of clearcutting on stream temperature. *Water Resources Research*. 6: 1133-1140.
- Brown, G.W., G.W. Swand and J. Rothacher. 1971. *Water Temperature in the Steamboat Drainage*. USDA For. Ser. Res. Pap. PNW-119. Pac. Northwest Forest and Range Research Experiment Station. Portland, Oregon. 17 pp.
- Brownlee, M.J., B.G. Shepherd and D.R. Bustard. 1988. *Some Effects of Forest Harvesting on Water Quality in the Slim Creek Watershed in the Central Interior of British Columbia*. Department of Fisheries and Oceans, Vancouver, B.C. (Canada). Pac. Reg. Can. Tech. Rep. Fish. Aquat. Sci., no. 1613. 47 pp.
- Caldwell, J.E., K. Doughty and K. Sullivan. 1991. *Evaluation of Downstream Temperature Effects on Type 4/5 Waters*. T/F/W Report No WQ5-91-004. Prepared for the T/F/W CMER Water Quality Steering Committee and Washington Department of Natural Resources, Olympia, WA. 71 pp.
- Chamberlin, T.W., R.D. Harr and F.H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. *Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats*. American Fisheries Society Special Publication 19, Chap. 6: 181-205.
- Danehy, R., and B. Kirpes. 2000. Relative humidity gradients across riparian areas in eastern Oregon and Washington forests. *Northwest Science* 74: 224-233.
- Dong, J., J. Chen, K. Brofoske, and R. Naiman. 1998. Modeling air temperature gradients across managed small streams in western Washington. *Journal of Environmental Management* 53: 309-321.
- Doughty K., J.E. Caldwell and K.S. Sullivan. 1991. *T/F/W Stream Temperature Method: User's Manual*. TFW-WQ4-91-002. Prepared for the T/F/W CMER Water Quality Steering Committee and Washington Department of Natural Resources, Olympia, WA. 40 pp.
- Everett, R. 1985. *Soil Water and Temperature in Harvested and Non-harvested Pinyon-Juniper Stands*.
- Feller, M.C. 1981. Effects of clearcutting and slash burning on stream temperature in Southwestern British Columbia. *Water Resources Bulletin*. 17(5): 863-867.
- Fredriksen, R., and R. Harr. 1979. Soil, vegetation, and watershed management. Pages 231-260 in P. Heilman, H. Anderson, and D. Baumgartner, eds. *Forest Soils of the Douglas-fir Region*. Washington State University, Pullman, WA.



- FSP. undated. Stream temperature protocol. Pages 21. Forest Science Project, Humboldt State University Foundation, Arcata, CA.
- FSP. 1998. Sampling window for stream temperatures. Pages 3. Forest Science Project, Humboldt State University Foundation, Arcata, CA.
- FSP. 1998. Stream temperature sampling frequencies explored. Pages 4. Forest Science Project, Humboldt State University Foundation, Arcata, CA.
- FSP. 2000. A fish-eye view of riparian canopy. Pages 4. Forest Science Project, Humboldt State University Foundation, Arcata, CA.
- Gresswell, R. 1999. Fire and aquatic ecosystems in forested biomes of North America. *Transactions of the American Fisheries Society* 128: 193-221.
- Grizzel, J., and N. Wolff. 1998. Occurrence of windthrow in forest buffer strips and its effect on small streams in northwest Washington. *Northwest Science* 72: 214-223.
- Harr, R.D. and R.L. Fredriksen. 1988. Water quality after logging small watersheds within the Bull Run watershed, Oregon. *Water Resources Bulletin*. 24(5): 1103-1111.
- Hatten, J., and R. Conrad. 1995. A comparison of summer stream temperatures in unmanaged and managed sub-basins of Washington's Olympic Peninsula. Pages 59. Northwest Indian Fisheries Commission, Olympia, WA.
- Hetrick, N., M. Brusven, W. Meehan, and T. Bjornn. 1998. Changes in solar input, water temperature, periphyton accumulation and allochthonous input and storage after canopy removal along two small salmon streams in southeast Alaska. *Transactions of the American Fisheries Society* 127: 859-875.
- Hewlett, J.D. and J.C. Fortson. 1982. Stream Temperature under an Inadequate Buffer Strip in the Southeast Piedmont. *Water Resources Bulletin*. 18(6): 983-988.
- Holtby, L.B. 1988. Effects of logging on stream temperatures in Carnation Creek, British Columbia and associated impacts on Coho Salmon (*Oncorhynchus kisutch*) *Can. J. Fish. Aquat. Sci.* 45: 502-515
- Holtby, L.B. 1989. Changes in the temperature regime of a valley-bottom tributary of Carnation Creek, British Columbia, over-sprayed with the herbicide Roundup (Glyphosate). In P.E. Reynolds (ed) *Proceedings of the Carnation Creek Herbicide Workshop*. Dec. 7-10, 1987: 212-223.
- Holtby, L.B. and C.P. Newcombe. 1982. A preliminary analysis of logging-related temperature changes. pgs 81-99 In G.F. Hartman (ed) *Proceedings of the Carnation Creek Workshop, A 10 year Review*. Malaspina College. Nanaimo, B.C. 404 pp.
- Hosteler, S.W. 1991. Analysis and modeling of long-term stream temperature trends in the Steamboat Creek Basin, Oregon: Implications for land use and fish habitat. *Water Res. Bull.* 27(4): 637-647.
- Howell, P. 2001. Effects of disturbance and management of forest health on fish and fish habitat in eastern Oregon and Washington. *Northwest Science* 75: 157-165.
- Ice, G. 2001. How direct solar radiation and shade influences temperature in forest streams and relaxation of changes in stream temperature. Pages 34. National Council for Air and Stream Improvement, Corvallis, OR.
- Idaho Department of Lands. 2000. Forest practices cumulative watershed effects process for Idaho. Pages 82. Idaho Department of Lands, Boise, ID.



- IMST. 2000. Influence of human activity on stream temperatures and existence of cold-water fish in streams with elevated temperature: Report of a workshop. Pages 45. Oregon Plan for Salmon and Watersheds, Oregon Watershed Enhancement Board, Corvallis, OR.
- Jackson, C., C. Sturm, and J. Ward. 2001. Timber harvest impacts on small headwater stream channels in the coast ranges of Washington. *Journal of the American Water Resources Association* 37: 1533-1549.
- Johnson, S.L and J.A. Jones. 2000. Stream temperature responses to forest harvest and debris flows in western Cascades, Oregon. *Canadian Journal of Fisheries and Aquatic Sciences*. Vol. 57 (2): 30-39.
- Landsberg, J., and A. Tiedmann. 2000. Fire Management (Ch. 12). Pages 124-138 in G. Dissmeyer, ed. *Drinking Water from Forests and Grasslands: A Synthesis of the Scientific Literature*. USDA Forest Service, Southern Research Station, Asheville, NC.
- Levano, A. and J. Rothacher. 1969. *Increases In Maximum Stream Temperature After Slash Burning In A Small Experimental Watershed*. Res. Note PNW-110. USDA, Forest Service Pacific Northwest Experimental Station. Portland, OR.
- Lewis, T., D. Lamphear, D. McCanne, A. Webb, J. Krieter, and W. Conroy. 2000. Regional assessment of stream temperatures across Northern California and their relationship to various landscape-level and site-specific attributes. Pages 420. Forest Science Project, Humboldt State University Foundation, Arcata, CA.
- Lowrance, R, L.S. Altier, J.D. Newbold, R.R. Schnabel, P.M. Groffman, J.M. Denver, J.M. Correll, J.W. Gilliam, J.L. Robinson, R.B. Brinsfield, K.W. Staver, W. Lucas and A.H. Todd. 1997. Water quality functions of riparian forest buffers in Chesapeake Bay watersheds. *Environmental Management* 21(5): 687-712
- Lynch, J.A., G.B. Rishel and E.S. Corbett. 1984. Thermal alterations of streams draining clearcut watersheds: quantification and biological implications. *Hydrobiologia*. 111: 161-169.
- Mattax, B., and T. Quigley. 1989. Validation and sensitivity analysis of the stream network temperature model on small watersheds in northeast Oregon. Pages 391-398 in W. Woessner and D. Potts, eds. *Headwaters Hydrology*. American Water Resources Association, Missoula, Montana.
- McGurk, B.J. 1989. Predicting stream temperature after riparian vegetation removal. pgs 157-164 in *Proceedings of the California Riparian Systems Conference* Sept. 22-24, 1988. Davis, California. USDA For. Ser. Gen. Tech. Rep. PSW-110. 544 pp.
- Meehan, W.R. 1970. *Some Effects of Shade Cover on Stream Temperature in Southeast Alaska*. Res. Note PNW-113. Portland Oregon, USDA Forest Service, Pacific Northwest Station.
- Minshall, G., C. Robinson, and D. Lawrence. 1997. Postfire responses of lotic ecosystems in Yellowstone National Park, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 54: 2509-2525.
- Moore, J.A. 1997. *Stream Temperatures: Some Basic Considerations*.
- Moore, R. 2001. Do clearcut-heated streams cool when they flow back into the forest? Pages 1. *Branch Lines*.
- Morgan, A., and D. Smith. 1997. Trends in disturbance and recover of selected salmonid habitat attributes related to forest practices: A literature review and monitoring recommendations. Pages ?? Northwest Indian Fisheries Commission and TFW Monitoring Program, Olympia, WA.



- Murray, G.L.D., R.L. Edmonds and J.L. Marra. 2000. Influence of partial harvesting on stream temperatures, chemistry, and turbidity in forests on the western Olympic Peninsula, Washington. *Northwest-Science*. 74 (2): 151-164.
- O'Laughlin, J. and G.H. Belt. 1995. Functional approaches to riparian buffer strip design. *Journal of Forestry*. 93(2): 29-32.
- Oliver, G., and L. Fidler. 2001. Towards a water quality guideline for temperature in the province of British Columbia. Pages 74. Ministry of Environment, Lands and Parks, Victoria, BC.
- Osborne, L.L. and D.A. Kovacic. 1993. Riparian vegetated buffer strips in water quality restoration and stream management. *Freshwater Biology*. 29(2): 243-258.
- Patton, D.R. 1973. *A Literature Review of Timber Harvesting Effects on Stream Temperatures: Research Needs For the South-West*. USDA Forest Service Research Note RM-249. 4 pp.
- Poole, G., and C. Berman. 2001. An ecological perspective on in-stream temperature: natural heat dynamics and mechanisms on human-caused thermal degradation. *Environmental Management* 27: 787-802.
- Poole, G., J. Risley, and M. Hicks. 2001. Spatial and temporal patterns of stream temperature (Revised). Pages 33. US Environmental Protection Agency, Seattle, WA.
- Rashin, E. and C. Graber. 1992. *Effectiveness of Washington's Forest Practice Riparian Management Zone regulations for Protection of Stream Temperature*. Prepared for the T/F/W CMER Water Quality Steering Committee TFW-WQ6-92-001, Ecology Publication #92-64. 59 pp.
- Ringler, N.H. and J.D. Hall. 1975. Effects of logging on water temperature and dissolved oxygen in spawning beds. *Trans. Am. Fish. Soc.* 104: 111-121.
- Rishel, G.B., J.A. Lynch and E.S. Corbett. 1982. Seasonal stream temperature changes following forest harvesting. *Environ. Qual.* 11(1): 112-116.
- Robison, E., J. Runyon, and C. Andrus. 1999. Oregon Department of Forestry cooperative stream temperature monitoring: Project completion report for 1994-1995. Pages 47. Oregon Department of Forestry and Oregon Department of Environmental Quality, Portland, OR.
- Salo, E.O. and C.J. Cedarholm. 1981. Cumulative effects of forest management on watersheds – some aquatic considerations. pgs. 67-78. In Staniford, R.B. and S.I. Ramacher (eds) *Cumulative Effects of Forest Management on California Watersheds: An Assessment Status and Need for Information*. Proc of Edgebrook Conf., U.C. Berkeley, June 1980. Div of Ag. Sci., Univ of Calif. 109 pp.
- Scrivner, J., and B. Andersen. 1994. Stream temperature regimes, possible logging effects, and the implications for salmonids of the Takla Lake/Middle River tributaries. Pages 41-47. Department of Fisheries and Oceans, Vancouver, BC.
- Schultz, R.C., J.P. Colletti, T.M. Isenhardt, W.W. Simpkins, C.A. Rodrigues, P. Wray-P, M.L. Thompson, and J. Pease. 1995. *Riparian Buffer Strip Systems That Improve Water Quality. Clean Water - Clean Environment - 21st Century: Team Agriculture - Working To Protect Water Resources*. Volume 3: practices, systems & adoption. Proceedings Kansas City, Missouri, USA, March 5-8, 1995. American Society of Agricultural Engineers (ASAE); St Joseph, USA235-238.
- Sheridan, J.M., R. Lowrance and D.D. Bosch. 1999. Management effects on runoff and sediment transport in riparian forest buffers. *Transactions of the ASAE*. Jan-Feb 42(1): 55-64.
- Shrimpton, M. 1999. *Manipulation of Riparian Reserves and Stream Temperatures To Evaluate The Effects of Forest Harvest Practices on Fish Populations*.



- Stednick, J. 2000. Timber Management (Ch. 10). Pages 103-119 in G. Dissmeyer, ed. *Drinking Water from Forests and Grasslands: A Synthesis of the Scientific Literature*. USDA Forest Service, Southern Research Station, Asheville, NC.
- Steedman, R.J., R.L. France, R.S. Kushneriuk and R.H. Peters. 1998. Effects of riparian deforestation on littoral water temperature in small boreal forest lakes. *Boreal Environ. Res.* 3: 161-169.
- St-Hilaire, A., G. Morin, N. El-Jabi, and D. Caissie. 2000. Water temperature modeling in a small forested stream: implication of forest canopy and soil temperature. *Canadian Journal of Civil Engineering* 27: 1095-1108.
- Sullivan, K., D. Martin, R. Cardwell, J. Toll, and S. Duke. 2000. An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria. Pages 192. Sustainable Ecosystems Institute, Portland, OR.
- Sullivan, K., J. Tooley, J.E. Caldwell and P. Knudsen. 1990. *Evaluation of Prediction Models and Characterization of Stream Temperature Regimes in Washington*. Timber/Fish/Wildlife Report no TFW-WQ3-90-006. Washington Dept. Nat. Res. Olympia, WA. 224 pp.
- Swank, W. 2000. Forest Succession (Ch. 11). Pages 120-123 in G. Dissmeyer, ed. *Drinking Water from Forests and Grasslands: A Synthesis of the Scientific Literature*. USDA Forest Service, Southern Research Station, Asheville, NC.
- Swift, L.W. Jr. and E. Baker. 1973. *Lower Water Temperature Within A Streamside Buffer Strip*. USDA Res. Note SE-193. 7 pp.
- Swift, L.W. Jr. and J.B. Messer. 1971. Forest cuttings raise temperatures of small streams in the Southern Appalachians. *Journal of Soil and Water Conservation*. 26(3): 111-116.
- Teti, P. 1998. *The Effects of Forest Practices on Stream Temperature, A Review of the Literature*. B.C. Ministry of Forests. Cariboo Forest Region, Williams Lake, B.C.
- Teti, P. 2001. *A new instrument for measuring shade provided by overhead vegetation*. Pages 8. BC Ministry of Forests, Cariboo Forest Region, Williams Lake, BC.
- Thedinga, J.F., M.L. Murphy, J. Heifetz, K.V. Koski, and S.W. Johnson. 1989. Effects of logging on size and composition of juvenile Coho salmon (*Oncorhynchus kisutch*) and density of pre-smolts in Southeast Alaska streams. *Canadian Journal of Fisheries and Aquatic Sciences*. 46: 1383-1391.
- Vuori, K.M. and I. Joensuu. 1996. Impact of forest drainage on the macroinvertebrates of a small boreal headwater stream: Do buffer zones protect lotic biodiversity? *Biological Conservation*. 77: 87-95.
- Water Temperature Criteria Workgroup. 2001. Technical Synthesis: Scientific issues relating to temperature criteria for salmon, trout and char native to the Pacific Northwest. Pages 24. US Environmental Protection Agency, Seattle, WA.
- Woolridge, D.D. and D. Stern. 1979. *Relationship of Silvicultural Activities and Thermally sensitive Forest Streams Report*. DOE 79-5a-5. College of Forest Resources. University of Washington. 90 pp.
- Wringler, N.H. and J.D. Hall. 1975. Effects of logging on water temperature and dissolved oxygen in spawning beds. *Trans. Am. Fish. Soc.* 104(1): 111-121.
- Zwieniecki, M., and M. Newton. 1999. Influence of streamside cover and stream features on temperature trends in forested streams of western Oregon. *Western Journal of Applied Forestry* 14: 106-113.

